



James Braly, M.D.
Director of Medical Services

FOR YOUR INFORMATION...

A SERVICE FOR LIFE-SPAN PROVIDERS

Dear Life-Span Members:

Here is a helpful abstract, "Routine Screening for Celiac Disease Now Advocated for All High Risk Patients", along with a sampling of supportive citations.

James Braly, MD
VP of Medical Services
HTA, Inc.

Abstract: *Routine Screening for Celiac Disease Now Advocated in All High Risk Patients*

Presented by James Braly, MD
VP of Medical Services, HealthTrust Alliance

Prevalence of Celiac Disease: A Common Disease?

As a consequence of new highly sensitive and specific screening immunoassays for celiac disease (CD), its prevalence in asymptomatic apparently healthy American adults has been dramatically adjusted upwards over the last decade, from a low of 1 in 5000 (1991 Minnesota study) to a high of 1 in 111 adults (July 2000 U. of Maryland School of Medicine Celiac Disease Project); in certain regions of the world, the prevalence is even more alarming--1 in 85 (1999 Finland study), 1 in 75 (1999 Sardinian study) and 1 in 18 (1999 Italian study of Saharawi children). Equally disturbing, with the risk of certain small intestinal and esophageal cancers being so high in untreated celiac disease (31 to 100 fold increased risk of small intestinal T-cell lymphoma, 850% increased risk of esophageal carcinoma) in conjunction with the frequent observation that cancer is a common presenting illness in celiac disease, 10-25% of Americans and Canadians show evidence of gliadin sensitization.

Celiac's Presenting Symptoms: *Typical* presenting symptoms are now considered *atypical* (many celiacs today are chronically asymptomatic, over half are presenting as overweight or obese, and most have no abdominal symptoms at the time of diagnosis, e.g.)

What in the past were termed "typical" celiac symptoms (weight loss, failure to thrive, diarrhea, abdominal cramping, steatorrhea, flatulence, bloating, and iron deficiency anemia, e.g.) no longer apply today in the majority of biopsy-confirmed celiacs.

Today, the majority of celiac patients are presenting with:

Malignancies, especially small intestinal T-cell lymphoma and esophageal carcinoma

- Auto-immune diseases, particularly insulin-dependent diabetes & autoimmune thyroid disease (hypo- & hyperthyroidism)
- Psychological depression, unresponsive to conventional anti-depressant Rx medications.
- Osteoporosis, unresponsive to conventional interventions.
- Short stature of unknown etiology.
- Abnormal liver enzyme elevations of unknown origin.
- Iron deficiency anemia and/or folic acid deficiency anemia.
- Infertility and pregnancies with poor outcomes (repeated miscarriages, premature birth, small birth weight, e.g.)

- Chronic neurological conditions of unknown cause (ataxia, peripheral neuropathy, cerebellar syndrome, epilepsy associated with personal history of migraines, hyperactivity, GI disturbances, and/or occipital lobe calcifications, e.g.).
- Down's syndrome
- Oral lesions (enamel defects, aphthous ulcers, e.g.)

Finger-prick ELISA IgA anti-transglutaminase & routine screening of all high risk patients

Dr. Braly will give an overview of the above information, providing updated information on a new generation of celiac screening assays currently available, followed by a brief review of whom celiac authorities are now identifying as high risk patients in need of routine laboratory screening and monitoring for celiac disease.

Scientific References (an abbreviated sampling-- a more comprehensive list available on request) Celiac Disease and Insulin-Dependent Diabetes

1. Gans RO et al. The occurrence of IgA nephropathy in patients with diabetes mellitus may not be coincidental: a report of five cases. Am J Kidney Dis, 1992; volume 20(3): pages 255-260.
2. Shanahan F et al. Coeliac disease and diabetes mellitus: a study of 24 patients with HLA typing. Q J Med, 1982; volume 203: pages 329-335
3. Midhagen G et al. Adult coeliac disease within a defined geographical area in Sweden. Scand J Gastroenterol, 1988; volume 23: pages 1000-1004
4. Visakorpi JK. Diabetes and coeliac disease. Lancet, 1969; vol. 2: page 1192.
5. Thain ME et al. Coexistence of diabetes mellitus and celiac disease. J Pediatr, 1974; volume 85: pages 527-529.
6. Maki M et al. Increased prevalence of coeliac disease in diabetics. Arch Dis Child, 1984; volume 59: pages 739-742.
7. Maki M et al. Seroconversion of reticulon autoantibodies predicts celiac disease in insulin dependent diabetes mellitus. Gut, 1995; volume 36: pages 239-242.
8. Savilahti E et al. Celiac disease in insulin-dependent diabetes mellitus. J Pediatr, 1986; volume 108: pages 739-742.
9. Collin P, Maki M. Associated disorders in coeliac disease: clinical aspects. Scand J Gastroenterol, 1994; volume 29: pages 769-775.
10. Collin P et al. Atypical coeliac disease found with serological screening. Scand J Gastroenterol, 1990; volume 25: pages 245-250.
11. Collin P et al. High frequency of coeliac disease in adult patients with type I diabetes. Scand J Gastroenterol, 1989; volume 4: pages 81-84.
12. Cacciari E et al. Prevalence and characteristics of coeliac disease in type I diabetes mellitus. Acta Paediatr Scand, 1987; volume 76: pages 671-672.
13. Koletzko S et al. Prevalence of coeliac disease in diabetic children and adolescents: a multicentre study. Eur J Pediatr, 1988; vol. 148: pages 113-117.
14. Barera G et al. Screening of diabetic children for coeliac disease with antigliadin antibodies and HLA typing. Arch Dis Child, 1991; volume 66: pages 491-494.
15. Gadd S et al. Co-existence of coeliac disease and insulin-dependent diabetes mellitus in children: screening era using an ELISA test for gliadin antibody. Aust NZ J Med, 1992; volume 22: pages 256-260.
16. Rossi TM et al. Incidence of celiac disease identified by the presence of serum endomysial antibodies in children with chronic diarrhea, short stature, or insulin-dependent diabetes mellitus. J Pediatr, 1993; volume 123: pages 262-264.
17. Sigurs N et al. Prevalence of coeliac disease in diabetic children and adolescents in Sweden. Acta Paediatr, 1993; volume 82: pages 748-751.
18. Page SR et al. The prevalence of coeliac disease in adult diabetes mellitus. QJM, 1994; volume 87: pages 631-637.
19. Sategna-Guidetti et al. Celiac disease and insulin-dependent diabetes mellitus. Dig Dis Sci, 1994; volume 39: pages 1633-1637.
20. Rensch MJ et al. Gluten-sensitive enteropathy in patients with insulin-dependent diabetes mellitus. Ann Intern Med, 1996; volume 124: pages 564-567.
21. Saukkonen T et al. Coeliac disease: frequent occurrence after clinical onset of insulin-dependent diabetes mellitus. Diabet Med, May 1996; volume 13(5): pages 464-470.

22. De Vitis I et al. Celiac disease (CD) and insulin dependent diabetes mellitus (IDDM); a multicentre study. Gastroenterology, 1996; volume 110 (suppl): A13 (abstr).
23. Cronin CC et al. High prevalence of coeliac disease in patients with insulin-dependent diabetes mellitus. Ir J Med Sci, 1996; volume 165 (suppl 4): page 2 (abstract).
24. Cronin CC, Shanahan F. Insulin-dependent diabetes mellitus and celiac disease. Lancet, April 12, 1997; volume 349: pages 1096-1097.
25. Scott FW et al. Diabetogenicity of various protein sources in the diet of the BB rat. In Prediabetes. Camerini-Davalos RA, Cole HS, eds. New York, Plenum, 1988: pages 277-285.
26. Scott FW et al. Milk and Type I Diabetes: Examining the evidence and broadening the focus. Diabetes Care, April, 1996; volume 19: pages 379-383.
27. Scott FW, Kolb H. Cow's milk and insulin-dependent diabetes mellitus. Lancet, August 31, 1966; volume 348: page 613.
28. Scott FW et al. Diet-induced change in islet mass and Th1/Th2 cytokine profiles in BB rats. Diabetes, 1996; volume 45: page 236A.
29. Hoorfar J et al. Dietary plant materials and development of diabetes in the BB rat. J Nutr, 1991; volume 121: pages 908-916.
30. Hoorfar J et al. Prophylactic nutritional modification of the incidence of diabetes in auto-immune non-obese diabetic (NOD) mice. Br J Nutr, 1993; volume 69: pages 597-607.
31. Leiter EH. The role of environmental factors in modulating insulin-dependent diabetes. In The Role of Micro-Organisms in Non-Infectious Disease. DeVries RRP, Cohen IR et al. Eds. London, Springer Verlag, 1990: pages 39-55.
32. Lorini R et al. Clinical aspects of coeliac disease in children with insulin-dependent diabetes mellitus. J Pediatr Endocrinol Metab, March 1996; Suppl 1: pages 101-111.
33. Calero P et al. IgA antigliadin antibodies as a screening method for non-overt celiac disease in children with insulin-dependent diabetes mellitus. J Pediatr Gastroenterol Nutr, July 1996; volume 23(1): pages 29-33.
34. Troncone R et al. Gluten-sensitive enteropathy. Pediatr Clin North Am, April 1996; volume 43(2): pages 355-373.
35. Reunala T, Collin P. Diseases associated with dermatitis herpetiformis. Br J Dermatol, March 1997; volume 136(3): pages 315-318.
36. Kitts D et al. Adverse reactions to food constituents: allergy, intolerance, and auto-immunity. Can J Physiol Pharmacol, April 1997; volume 4: pages 241-254.
37. Vitoria JC et al. Association of insulin-dependent diabetes mellitus and celiac disease: a study based on serologic markers J Pediatr Gastroenterol Nutr, July, 1998; volume 27:1: pages 47-52.
38. Sjöberg K et al. Screening for coeliac disease in adult insulin-dependent diabetes mellitus. J Intern Med, February, 1998; volume 243:2: pages 133-140.
39. Thompson MW. Heredity, maternal age, and birth order in the etiology of celiac disease. Am J Hum Genet, 1951; volume 3: page 159-166.
40. Walker-Smith JA and Grigor W. Coeliac disease and diabetes. Lancet, 1969; II: page 650.
41. Walker-Smith JA and Grigor W. Coeliac disease in a diabetic child. Lancet, 1969; I: page 1021.
42. Green et al. Diabetes mellitus associated with nontropical sprue, report of four cases. Diabetes, 1962; volume 11: page 388.
43. Malin JM, Mayne N. Diabetic diarrhea. A study of thirteen patients with jejunal biopsy. Diabetes, 1969; volume 18: pages 858-866.
44. Hoofst C et al. Coeliac disease in a diabetic child. Lancet, 1969; volume ii: page 161.
45. Walsh CH et al. Diabetes mellitus and coeliac disease: a clinical study. Q J Med, 1978; volume 47: pages 89-100.
46. Koivisto VA et al. HLA antigens in patients with juvenile diabetes mellitus, coeliac disease and both of the diseases. Diabete Metab, 1977; volume 3: page 49-53.
47. Barta L et al. Simultaneous occurrence of diabetes mellitus and coeliac disease. Acta Paediatr Hung. 1985; volume 26: pages 303-306.
48. Chambers TL. Coexistent coeliac disease, diabetes mellitus and hyperthyroidism. Arch Dis child, 1975; volume 50: pages 162-164.
49. Dockter G et al. Juveniler diabetes mellitus, zoliakie und asthma bronchiale. Gemeinsames Auftreten bei einem 4jährigen madchen. Fortschr Med, 1980; volume 29: pages 1121-1122.
50. Haagen NO et al. Non-tropical sprue. Malignant diseases and mortality rate. Scand J Gastroenterol, 1985; volume 20: pages 13-18.

51. Komrower GM. Coeliac disease in a diabetic child. Lancet. 1969; I: page 1215
52. Lancaster-Smith MJ et al. Coeliac disease and autoimmunity. Post grad Med J 1974; volume 50: pages 45-48.
53. Ruch W et al. Coexistent coeliac disease, Graves' disease and diabetes mellitus Type 1 in a patient with Down Syndrome. Eur J Pediatr, 1985; volume 144: pages 89-90.
54. Stahlberg MR et al. Antibodies to gliadin by ELISA as a screening test for childhood coeliac disease. J Pediatr Gastroenterol Nutr, 1986; volume 5: pages 726-729.
55. Catassi, C et al. Antigliadin antibodies at onset of diabetes in children. Lancet ii, 1987: page 158.

Celiac Disease and GI Cancers

1. Hoggan R. Considering wheat, rye and barley proteins as aids to carcinogens. Medical Hypothesis. In Press 1997.
2. Maclaurin B et al. Impaired lymphocyte reactivity against tumor cells in patients with coeliac disease. Gut, 1971; volume 12: pages 794-800.
3. Swinson C et al. Coeliac disease and malignancy. Lancet, January 15, 1983; pages 111-115.
4. Holmes G et al. Malignancy in coeliac disease -- effect of a gluten-free diet. Gut, 1989; volume 30: pages 333-338.
5. Barry et al. Coeliac disease and malignancy. The possible importance of familial involvement. Scand J Gastroenterol, 1971; volume 6: pages 205-207.
6. Harris OD et al. Malignancy in adult coeliac disease and idiopathic steatorrhea. Am J Med, 1967; volume 42: pages 899-912.
7. Nielsen OH et al. Non-tropical sprue. Malignant diseases and mortality rate. Scand J Gastroenterol, 1985; volume 20: pages 13-18.
8. Holmes GKT et al. Malignancy in coeliac disease – effect of a gluten-free diet. Gut, 1989; volume 30: pages 333-338.
9. Shiner M. Present trends in coeliac disease. Postgrad Med J, 1984; volume 60: pages 773-778.
10. Haagen NO et al. Non-tropical sprue. Malignant diseases and mortality rate. Scand J Gastroenterol, 1985; volume 20: pages 13-18.
11. Cooper BT, Read AE. Coeliac disease and lymphoma. QJM, 1987; volume 63: pages 269-274.
12. Pricolo VE et al. Gastrointestinal malignancies in patients with celiac sprue. Am J Surg, 1998 Oct; volume 176:4: pages 344-347.

Celiac Disease and Osteoporosis

1. Marsh MN. Bone disease and gluten sensitivity: time to act, to treat, and to prevent. Am J Gastroenterology, 1994; volume 89(12): pages 2105-2107.
2. Mazure et al. Bone mineral affection in asymptomatic adult patients with coeliac disease. The American Journal of Gastroenterology, 1994; volume 89(12): pages 2130-2134.
3. Lindh E et al. Screening for antibodies against gliadin in patients with osteoporosis. Journal of Internal Medicine, 1992; volume 231: pages 403-406.
4. Mautalen C et al. Effect of treatment on bone mass, mineral metabolism, and body composition in untreated coeliac disease patients. American Journal of Gastroenterology, 1997; volume 92(2): pages 313-318.
5. Caraceni M et al. Bone and mineral metabolism in adult coeliac disease. Am J Gastroenterol, 1988; volume 83: pages 27-37
6. Molteni N et al. Bone mineral density in adult coeliac patients and the effect of gluten-free diet from childhood. Am J Gastroenterol, 1990; volume 85: pages 51-53.
7. Gonzalez D et al. Body composition and bone mineral density in untreated and treated patients with coeliac disease. Bone, 1995; volume 16: pages 231-234.
8. McFarlane X et al. Osteoporosis in treated adults coeliac disease. Gut, 1995; volume 36: pages 710-714.
9. Bode S et al. Body composition and calcium metabolism in adult treated coeliac disease. Gut, 1991; volume 32: pages 1342-1345.
10. Valdimarsson T et al. Bone mineral density in coeliac disease. Scand J Gastroenterol, 1994; volume 29: pages 457-461.
11. Valdimarsson T et al. Reversal of osteopenia with diet in adult coeliac disease. Gut, 1996; volume 38: pages 322-327.

12. Walters JRF. Bone mineral density in celiac disease. *Gut*, 1994; volume 35: pages 150-151.
13. Melvin KEW et al. Calcium metabolism and bone pathology in adult coeliac disease. *Q J Med*, 1970; volume 39: pages 83-113.
14. Molteni N et al. Intestinal calcium absorption as shown by stable strontium test in celiac disease before and after gluten-free diet. *Amer J Gastroenterol*, 1995; volume 90: pages 2025-2028.
15. Valdimarsson T et al. Reversal of osteopenia with diet in adult coeliac disease. *Gut*, 1996; volume 38: pages 322-327.
16. Rude RK, Olerich M. Magnesium deficiency: possible role in osteoporosis associated with gluten-sensitive enteropathy. *Osteoporos Int*, 1996; volume 6(6):pages 453-461.
17. Mora S et al. Reversal of low bone density with a gluten-free diet in children and adolescents with celiac disease. *American Journal of Clinical Nutrition*, March 1998; volume 67(3): pages 477-481.
18. Ramos RC et al. Rheumatic features of gastrointestinal tract, hepatic, and pancreatic disease. *Current Opin Rheumatol*, January 1997; volume 9(1):pages 56-61.
19. Mora, S et al. Reversal of low bone density with a gluten-free diet in children and adolescents with celiac disease. *American Journal of Clinical Nutrition*, 1998; volume 67: pages 477-481
20. Maki M et al. Increased prevalence of coeliac disease in diabetes. *Archives of Disease in Childhood*, 1984; volume 59: pages 739-742.

Celiac Disease and Liver Disease

1. Lindgren et al. Unsuspected coeliac disease in chronic cryptogenic liver disease. *Scan J Gastroenterol*, 1994; volume 29: pages 661-664.
2. Jacobsen et al. Hepatic lesions in adult coeliac disease. *Scand J Gastroenterol*, 1990; volume 25: pages 656-662.
3. Mitchison et al. Hepatic abnormalities in coeliac disease. Three cases of delayed diagnosis. *Postgrad Med J*, 1989; volume 65: pages 920-922.
4. Logan et al. Primary biliary cirrhosis and coeliac disease, an association? *Lancet*, 1978; volume 1: pages 230-233.
5. Olsson et al. On the occurrence of primary biliary cirrhosis and intestinal villous atrophy. *Scan J Gastroenterol*, 1982; volume 17: pages 625-628.
6. Brazier F et al. Primary sclerosing cholangitis and coeliac disease: beneficial effect of gluten-free diet on the liver. *Eur J Gastroenter Hepat*, 1994; volume 6:pages 183-186.
7. Midhagen G et al. Adult coeliac disease within a defined geographical area in Sweden. *Scand J Gastroenterol*, 1988; volume 23: pages 1000-1004
8. Magazzu G et al. Increasing incidence of childhood celiac disease in Sicily: results of a multicenter study. *Acta Paediatr*, 1994; volume 83: pages 1065-1069.
9. Lorini R et al. Clinical aspects of coeliac disease in children with insulin-dependent diabetes mellitus. *J Pediatr Endocrinol Metab*, March 1996; Suppl 1: pages 101-111.
10. Hagander B et al. Hepatic injury in coeliac disease. *Lancet* 1977; ii: pages 270-272.
11. Pollock DJ. The liver in coeliac disease. *Histopathology* 1977; volume 1: pages 421-430.
12. Schrupf E et al. Risk factors in primary sclerosing cholangitis. *J Hepatol*, 1994 Dec; volume 21:6: pages 1061-1066.